

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	matthews-kristine-e.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 10:45
L2	1	1 and chrominance near3 smoothing and human near5 (preception or visual or sensitivity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 10:53
L3	4	1 and human near5 (preception or visual or sensitivity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:28
L4	3	1 and chrominance near3 smoothing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:43
L5	3	(shift\$3 or chang\$4 or conver\$5 or transfer\$3 or alter\$3) near5 chrominance near3(values or pixels) same luminance near3(low or high)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 11:31
L6	8	(("5130786") or ("5570131") or ("5629780") or ("6016200")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 11:32
L7	1	"5231494".PN.	USPAT; USOCR	OR	OFF	2007/03/27 12:49
L8	167	human near5 (preception or visual or sensitivity)same (luminance-chrominance-chrominance or chroma or "L,C,C" or "Y, U, V" or "Y, Cb, Cr" or "L*, a*,b*")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 14:09
L9	167	human near5 (preception or visual or vision adj1 preception or sensitivity)same (luminance-chrominance-chrominance or chroma or "L,C,C" or "Y, U, V" or "Y, Cb, Cr" or "L*, a*,b*")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:40
L10	64	9 and (reduc\$4 or lower\$3 or improv\$4) with (bit-rate or bit adj1 rate or bandwidth or resolution near3 chrominance or compression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:54

EAST Search History

L11	5	10 and chrominance near3 (smoothing or eveni\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:45
L12	8	9 and ((luminance or luma or brightness) near3(extremes or threshold\$3 or adjusment\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 14:10
L13	1204	human near5 (perception or visual or sensitivity)and (luminance-chrominance-chrominance or chroma or "L,C,C" or "Y, U, V" or "Y, Cb, Cr" or "L*, a*,b*")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 14:09
L14	161	13 and ((luminance or luma or brightness) near3(extremes or threshold\$3 or adjus\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 15:44
L15	34	14 and (luminance or luma) near3(valu\$2 or pixel\$1) with(black or white or near-black)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 14:24
L16	21	14 and (luminance or luma) near3(valu\$2 or pixel\$1) near7(black or white or near-black)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 15:26
L17	4	14 and (select\$4 or choos\$5 or determin\$4 or obtain\$4) near3(luminance adj1 pixel\$1 or luminance adj1 valu\$2 or luma adj1 pixel\$1 or luma adj1 valu\$2) with (minimum or maximum or less\$2 or low\$2 or greater or high\$2)near3 (luminance or luma or brightness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 15:45
L18	174	13 and ((luminance or luma) near3(rang\$2 or threshold\$3 or adjus\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 15:45
L19	7	18 and (select\$4 or choos\$5 or determin\$4 or obtain\$4) near3(luminance adj1 pixel\$1 or luminance adj1 valu\$2 or luma adj1 pixel\$1 or luma adj1 valu\$2) with (minimum or maximum or less\$2 or low\$2 or greater or high\$2)near3 (luminance or luma or brightness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 15:46

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	matthews-kristine-e.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 10:45
L2	1	1 and chrominance near3 smoothing and human near5 (perception or visual or sensitivity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 10:53
L3	4	1 and human near5 (perception or visual or sensitivity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:28
L4	3	1 and chrominance near3 smoothing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:43
L5	3	(shift\$3 or chang\$4 or conver\$5 or transfer\$3 or alter\$3) near5 chrominance near3(values or pixels) same luminance near3(low or high)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:59
L6	8	(("5130786") or ("5570131") or ("5629780") or ("6016200")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 11:32
L7	1	"5231494".PN.	USPAT; USOCR	OR	OFF	2007/03/27 12:49
L8	167	human near5 (perception or visual or sensitivity)same (luminance-chrominance-chrominance or chroma or "L,C,C" or "Y, U, V" or "Y, Cb, Cr" or "L*, a*,b*")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 14:09
L9	167	human near5 (perception or visual or vision adj1 preception or sensitivity)same (luminance-chrominance-chrominance or chroma or "L,C,C" or "Y, U, V" or "Y, Cb, Cr" or "L*, a*,b*")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:40
L10	64	9 and (reduc\$4 or lower\$3 or improv\$4) with (bit-rate or bit adj1 rate or bandwidth or resolution near3 chrominance or compression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:54

EAST Search History

L11	5	10 and chrominance near3 (smoothing or eveni\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:45
L12	8	9 and ((luminance or luma or brightness) near3(extremes or threshold\$3 or adjusment\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 14:10
L13	1204	human near5 (perception or visual or sensitivity)and (luminance-chrominance-chrominance or chroma or "L,C,C" or "Y, U, V" or "Y, Cb, Cr" or "L*, a*,b*")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 14:09
L14	161	13 and ((luminance or luma or brightness) near3(extremes or threshold\$3 or adjus\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 15:44
L15	34	14 and (luminance or luma) near3(valu\$2 or pixel\$1) with(black or white or near-black)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 14:24
L16	21	14 and (luminance or luma) near3(valu\$2 or pixel\$1) near7(black or white or near-black)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 15:26
L17	4	14 and (select\$4 or choos\$5 or determin\$4 or obtain\$4) near3(luminance adj1 pixel\$1 or luminance adj1 valu\$2 or luma adj1 pixel\$1 or luma adj1 valu\$2) with (minimum or maximum or less\$2 or low\$2 or greater or high\$2)near3 (luminance or luma or brightness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 15:45
L18	174	13 and ((luminance or luma) near3(rang\$2 or threshold\$3 or adjus\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 16:11
L19	7	18 and (select\$4 or choos\$5 or determin\$4 or obtain\$4) near3(luminance adj1 pixel\$1 or luminance adj1 valu\$2 or luma adj1 pixel\$1 or luma adj1 valu\$2) with (minimum or maximum or less\$2 or low\$2 or greater or high\$2)near3 (luminance or luma or brightness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 16:13

EAST Search History

L20	253	13 and ((luminance or luma or brightness) near3(rang\$2 or threshold\$3 or adjus\$9 or histogram\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:57
L21	33	20 and (select\$4 or choos\$5 or determin\$4 or obtain\$4)near3(pixel\$1 or valu\$2) with (minimum or maximum or less\$2 or low\$2 or greater or high\$2 or dark\$3 or bright\$4)near3 (luminance or luma or brightness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 16:16
L22	28	20 and (select\$4 or shif\$4 or chang\$4 or alter\$4 or replac\$4 or convert\$4)near3(pixel\$1 or valu\$2) with (minimum or maximum or less\$2 or low\$2 or greater or high\$2 or dark\$3 or bright\$4)near3 (luminance or luma or brightness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:42
L23	1	(chrominance and smoothing and color and image and luminance-chrominance-chrominance and channel-color-space and selecting and image and region and smoothing and selecting and pixels and luminance and value and one and side and value and luminance and threshold and value and changing and chrominance-channel and values and lower and chrominance-channel and entropy).clm.	US-PGPUB	AND	OFF	2007/03/27 17:46
L24	10396	382/167,162,165,166,168,169,172, 274;358/518,519,520,521,522, 523;348/453;345/589,590,591,593, 600,601.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:56
L25	1727	24 and ((luminance or luma or brightness) near3(rang\$2 or threshold\$3 or adjus\$9 or histogram\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:57
L26	1	25 and(shift\$3 or chang\$4 or conver\$5 or transfer\$3 or alter\$3) near5 chrominance near3(values or pixels) same luminance near3(low or high)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 18:00

EAST Search History

L27	0	25 and(shift\$3 or chang\$4 or conver\$5 or transfer\$3 or alter\$3) near5 (chrominance or chroma or hue or color) same (lower adj1 end or higher adj1 end) near3(luma or luminance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 18:04
L28	0	24 and(shift\$3 or chang\$4 or conver\$5 or transfer\$3 or alter\$3) near5 (chrominance or chroma or hue or color) same (lower adj1 end or higher adj1 end) near3(luma or luminance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 18:05
L29	0	(shift\$3 or chang\$4 or conver\$5 or transfer\$3 or alter\$3) near5 (chrominance or chroma or hue or color) same (lower adj1 end or higher adj1 end) near3(luma or luminance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 18:06
L30	4	(shift\$3 or chang\$4 or conver\$5 or transfer\$3 or alter\$3) near5 (chrominance or chroma or hue or color) same (lower adj1 end or higher adj1 end or one adj1 side or one adj1 end) near3(luma or luminance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 18:19
L31	6	(shift\$3 or chang\$4 or conver\$5 or transfer\$3 or alter\$3 or smooth\$3) near5 (chrominance or chroma or hue or color) same (lower adj1 end or higher adj1 end or one adj1 side or one adj1 end or near-black or brightest) near3(luma or luminance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 18:21



Home | Login | Logout | Access Information | Alerts |
Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPORE GUIDE](#)

Results for "(((shifting<near/3>chrominance and luminance <near/3> lower-end)<in>metadata)) <..."
Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)

Modify Search

[New Search](#)

(((shifting<near/3>chrominance and luminance <near/3> lower-end)<in>metadata)) <[Search](#)

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPORE GUIDE](#)Results for "(((shifting <near/3> chrominance and luminance <near/3> one-side)<in>metadata)) &l..."
Your search matched 0 documents.A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.**» Search Options**[View Session History](#)**Modify Search**[New Search](#) (((shifting <near/3> chrominance and luminance <near/3> one-side)<in>metadata)) <[Search](#)> Check to search only within this results setDisplay Format: Citation Citation & Abstract**» Key****IEEE JNL** IEEE Journal or Magazine**IET JNL** IET Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IET CNF** IET Conference Proceeding**IEEE STD** IEEE Standard**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –

Indexed by
 Inspec®

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((altering <near/3> chrominance and luminance<near/3> higher-end)<in>metadata)) &..."
Your search matched 0 documents.

[e-mail](#)

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options[View Session History](#)**Modify Search**[New Search](#) Check to search only within this results setDisplay Format: Citation Citation & Abstract**» Key****IEEE JNL** IEEE Journal or Magazine**IET JNL** IET Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IET CNF** IET Conference Proceeding**IEEE STD** IEEE Standard**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by